

# TRESTON

DEDICATED TO HUMAN WORKSPACE



BARCELONA INSTRUMENTS  
ELECTRONICS, S.L.

Rosselló, 20 - 08029 BARCELONA  
Tel.: 93 280 29 89 - Fax: 93 280 41 13  
ventas@bielec.es



# TRESTON PACKING SOLUTIONS

FROM AN ALL-IN-ONE PACKING TABLE TO A COMPLETE PACKAGING SOLUTION



# Why invest in a packing bench?

Are you looking for an easy packing bench option or a packaging solution which can answer varying needs and is highly adjustable? Treston packing bench options can answer both these needs. In addition to benches, Treston can also offer matching trolleys, cabinets, lights, chairs and more to complete a fully functional workstation.

An ergonomic workstation, where everything is in its place, enables faster and more accurate packing, improves safety, makes it easier to switch between packing personnel and creates a clean and less-stressful atmosphere. Improved efficiency makes larger volumes and more revenue opportunities possible.


- ✓ Improve efficiency, accuracy and safety
- ✓ Make it easy to switch between packing personnel
- ✓ Create a clean and less-stressful environment, thus energizing packing personnel
- ✓ Enable larger volumes and more revenue opportunities

## WHY CHOOSE TRESTON?

- ✓ Functional quality
- ✓ Full service, expertise and experience
- ✓ Solutions for the entire environment
- ✓ Quick delivery

For over 40 years, Treston has designed and manufactured high quality industrial furniture which is functional and efficient, tailor-made for the person performing the job. No matter if you choose an out-of-the-box solution or a tailor-made solution, the design always has ergonomics and efficiency aspects in mind.

Our skillful staff has worked with over 500,000 deliveries world-wide. Whether you need space planning, 5S integration, prototypes, installation or training services – we are here for you. With an unmatched track record of projects, no matter how big or small we can help you choose just the right solution for your needs.






# Treston Packing Bench TPB918

is a well thought-out, safe and easy all-in-one choice

- ✓ Safe, economic and ergonomic all-in-one choice
- ✓ Adapts and grows according to needs
- ✓ 50+ accessories and add-on products available
- ✓ One flat pack contains all the basic equipment
- ✓ Easy to buy, transport and assemble

This packing table adapts and grows according to your needs. You don't need to know what your business will look like in two years' time, as you can add and remove accessories as you go. Start small and add from over 50 accessories based on your needs. TBB918 comes in one flat pack and is easy to assemble. Perfect packing table option for cost-conscious users.

Carefully selected materials, high-quality finishing, epoxy powdercoated steel parts RAL 7035. Laminate bench top, 25 mm low-pressure laminate.



## Packing bench TPB918 includes:

Name	Description	Code
1. Height adjustable upper steel shelf	Size 310 x 1800 mm. Max load 30 kg. Fixing positions for Treston lighting units under the shelf.	SS180
2. Adjustable divider hoops	Five adjustable divider hoops (height 400 mm).	PDH
3. Height adjustable steel perforated panel with bin rail	Size of the panel 1719 x 255 mm. For auxiliary steel shelves and stacking bins. Max load 20 kg.	PP180
4. Auxiliary steel shelf	Size 217 x 298 x 20 mm, for A4 paper and tape dispensers (max 2 pcs per shelf). Max load 3 kg.	ASSA4
5. Upper paper roll holder	Height adjustable. Axle diameter 25 mm. Max roll width 1700 mm. Max load 40 kg.	PRH ROLL180
6. Lower paper roll holder	Simply hangs on horizontal bars of legs. Depth adjustable. Axle diameter 25 mm. Max roll width 1650 mm. Max load 40 kg.	PRHL ROLL180

# TPB918 accessories



Name	Description	Size W x D x H mm	Code
<b>1. Lower steel shelf</b>	Hangs on horizontal bars. Max load 30 kg.	1718 x 460	LSS180
<b>2. Low M-divider hoops</b>	Steplessly adjustable. 4 pcs per set. M-shape (the lowest point 105 mm from shelf).	460 x 315	LDH
<b>3. Recycling material bin</b>	60 ltr bin with steel brackets. Can be positioned on either side. Max load 15 kg.	530 x 280 x 585	PRMB
<b>4. Swivel arm</b>	With lockable, angle adjustable steel tray. Max load 15 kg.	460 x 210	CKV400
<b>5. PC stand</b>	An adjustable holder for either a vertical or horizontal CPU, to mount underneath the bench top.	Vert. 130-140 x 395-500 Horiz. 340-460 x 180-285	CPU
<b>6. LCD swivel arm</b>	The quick-release mechanism is equipped with a standard flat-screen mount 75 x 75 mm and 100 x 100 mm. The arm is double articulated and turns through a radius of 180°. Extends between 95-425 mm from the upright. Max load 10 kg.		MA
<b>Connector</b>	Needed for mounting LCD swivel arm to the upright profile.		HKC-MA/MH
<b>7. Tool and lighting support</b>	For suspending power tools and lighting units. Includes one C-profile bar with sliding hook.		KT180
<b>8. Side worktop</b>	Easy to fix to the legs of the bench. Can be fixed on the left or right side of the bench and brackets placed either above or underneath. Height adjustable 575-900 mm from floor. Max load 35 kg.	400 x 900	TP904 ST
<b>9. Auxiliary steel shelf*</b>	Shelf for A4 paper and tape dispensers (max 2 pcs per shelf). Mounted on bin profile. Max load 3 kg.	217 x 298 x 20	ASSA4
<b>10. Height adjustable perforated panel with bin rail *</b>	Epoxy powder-coated steel RAL7035. Perforated panel with bin rail for auxiliary steel shelves ASSA4 and stacking bin set SBS4. Max load 20 kg.	1719 x 255	PP180
<b>11. Lower paper roll holder*</b>	Simply hangs on horizontal bars of legs. Depth adjustable. Axle diameter 25 mm. Max roll width 1650 mm. Max load 40 kg.	Axle Ø mm 25	PRHL ROLL180
<b>12. Divider hoops set *</b>	Adjustable divider hoops for shelf of depth 310 mm. 5 pcs per set.	Height 400	PDH
<b>13. Aluminium bin rail</b>	For auxiliary steel shelf (ASSA4), stacking and picking bins. Max. load 15 kg	1719 x 35 x 75	BP180
<b>14. Pull-out steel shelf for printer</b>	Mounting under the bench top. Free space for printer 400 x 550 x 415 mm. Pull-out extent 500 mm. Max load 35 kg.	500 x 535 x 506	PSP50
<b>Extra high upright profiles</b>	If you need more space for uprights. 400 mm taller than standard one.	Height 1470	HKCP147
<b>Cable clip set</b>	5 pcs. The cable clip set will hold cables, etc. securely and neatly in place along the bench frame.		CC12

\*Included in the TPB918 packing bench; also available as an accessory.

# Treston Concept bench

accommodates the most demanding needs

- ✓ For all packaging needs, no need for compromises!
- ✓ Wide variety of modules, options and variations
- ✓ Largest number of accessories on the market
- ✓ Sturdy, stable, high-quality

You can choose from various table top material options, sizes and lengths; allen key, hand crank or motor adjustable bench frames; racks for holding bins, cutters, rolls, and more; an endless number of modules and accessories including cutters, tape dispensers, PC stands and more.

Whatever the variation you need, you can build it from Concept and its modular elements. Modules fit together seamlessly, giving you an opportunity to create a complete packaging solution, perfectly matching your needs. Building packaging combinations from varying, yet standard modules makes it possible to create an ergonomically well-functioning packaging solution which is also robust and economic. No need for costly extra modifications or compromises!




## Concept bench frames

Frame type	Size W x D x H mm	Max load kg	Code
Allen key adjustable	1500 x 750 x 670-1120	500	100 49 032P
Hand crank adjustable	1500 x 750 x 675-1025	200	101 49 032
Motor adjustable	1500 x 750 x 700-1100	300	103 49 032P
Allen key adjustable	1800 x 750 x 670-1120	500	100 49 033P
Hand crank adjustable	1800 x 750 x 675-1025	200	101 49 033
Motor adjustable	1800 x 750 x 700-1100	300	103 49 033P
Extension part pair *	150		860 634-49
Accessory bar 1500 **	1340 x 40 x 80		860 088-49
Accessory bar 1800 **	1560 x 40 x 80		860 089-49
Castor set	Ø100		834 734-00

\*Used with 900 mm deep bench tops to ensure stability when handling objects heavier than 50 kg on the bench.

\*\*Depth adjustable (150 mm) accessory bar to allen key adjustable benches for pull-out printer shelf and CPU-holder etc. The bar is included with hand crank and motor adjustable benches.



## Concept bench tops

Bench top material	Size W x D mm	Code
High pressure laminate	1500 x 750	TT15075-HPL
High pressure laminate	1500 x 900	TT15090-HPL
High pressure laminate	1806 x 750	TT18075-HPL
High pressure laminate	1806 x 900	TT18090-HPL
High pressure laminate	2000 x 750	TT20075-HPL
High pressure laminate	2000 x 900	TT20090-HPL
Low pressure laminate	1500 x 750	TT15075-LPL
Low pressure laminate	1500 x 900	TT15090-LPL
Low pressure laminate	1806 x 750	TT18075-LPL
Low pressure laminate	1806 x 900	TT18090-LPL
Low pressure laminate	2000 x 750	TT20075-LPL
Low pressure laminate	2000 x 900	TT20090-LPL

## Concept upright tubes

Name	Length mm	Code
Upright tube	1359	860 024-49
Upright tube	1582	860 025-49
Upright tube module 2 x M750	1359	903 49 001P
Upright tube module 2 x M750	1582	903 49 002P
Upright tube module 2 x M900	1359	904 49 001P
Upright tube module 2 x M900	1582	904 49 002P

Accessories are attached to the Concept bench with the aid of upright tubes or a pre-assembled upright tube module.

# Concept accessories




See additional accessories, lighting units, paper roll holders and cutters on pages 9-11.

Name	Description	Size W x D x H mm	Suitability / module	Code
1. Light and balancer rail	Luminaires are fitted to light/balancer rails which are height and depth adjustable. Max load 15 kg.	1500	2 x M750	918 49 006P
		1800	2 x M900	918 49 008P
2. Roll holder set	Roll holder set for uprights. Axle 25 mm zinc electroplated. Max load 40 kg.	635 (max roll length)	M750	890547-49P
		785 (max roll length)	M900	890548-49P
		1400 (max roll length)	M1500	859 041-49P
		1700 (max roll length)	M1800	859 042-49P
3. Steel shelf	Basic steel shelf for e.g. small cartons and big envelopes. Can also be tilted. Can be equipped with dividers. Max load 50 kg.	740 x 300	M750	836 028-49
		740 x 400	M750	852 770-49
		890 x 300	M900	852 283-49
		890 x 400	M900	852 769-49
4. Adjustable shelf	Deep steel shelf with a mat for general use. Depth adjustment. Can also be tilted. Max load 100 kg.	720 x 505	M750	920 49 005P
		870 x 505	M900	920 49 009P
5. Document shelf	Handy steel document shelf (tilting 10-75°) for plastic bins, papers, small tools, etc. Max load 5 kg.	720 x 265	M750	860 115-49P
		870 x 265	M900	860 399-49P
6. Lower shelf	Steel shelf mount on bench frame. Max load 60 kg. Shelf can be easily equipped with steel tube dividers (page 8, item 3) for storage of cardboard boxes, etc. Depth 600 mm, comes with brackets and accessory bar.	1167 x 600 x 30	Manual bench	859 225-49P
		1467 x 600 x 30	Manual bench	859 228-49P
		1167 x 600 x 30	Motor/crank bench	859 025-49P
		1467 x 600 x 30	Motor/crank bench	859 028-49P
7. Steel divider pair	Steel plate divider pair for envelopes and small cartons. Fitted on steel shelf. Choose size according to the shelf depth.	285 x 190	Steel shelf	010 004-49
		385 x 190	Steel shelf	010 005-49
8. Document holder	Steel document holder fixed on upright tube. Easily adjustable with the double arm. Max load 5 kg.	A4		928 49 008P
		A3		928 49 009P
9. Equipment tray	With double arm and handle. For small tools and packing accessories such as BLD20 (page 9). Max load 15 kg.	500 x 250 x 125		928 49 002P
10. Adjustable auxiliary top	Ergonomic tilt adjustable tray with double arm (0-25°). Lipped edge of 15 mm. Max load 15 kg.	560 x 340		927 41 001P
11. Keyboard tray for LCD holder	Max load 5 kg.	480 x 260		860 941-49
12. Tooltray	Guarantees a clean packing space, while tools are close at hand. Fitted under worktop. Suitable for all motor benches and for other benches only with 900 mm deep bench tops.	1000 x 60		PTH100
13. LCD holder with double arm	Max load 15 kg.			930 49 002P
14. Thin Client PC holder	Holder for Thin Client PC. Fixed behind keyboard tray.			TCH
17. Pull-out steel shelf for printer	Fitted to the accessory bar of bench. In manual benches, bar needs to be ordered separately (page 6). Free space for printer 400 x 500 x 475mm. Pull-out extent 500 mm. Max load 35 kg.	400 x 500		PSP50C



# Concept accessories






See additional accessories, lighting units, paper roll holders and cutters on pages 9-11.

Name	Description	Size W x D x H mm	Suitability / module	Code
<b>1. Perforated panel</b>	Fastened to the upright tubes. The size of the perforation is 9 x 9 mm, center to center 38 mm. Can be equipped with panel hooks, boxes and trays.	718 x 389 871 x 389 1474 x 389 1774 x 389	M750 M900 M1500 M1800	861 511-49 861 516-49 861 526-49 861 531-49
<b>2. Top shelf</b>	Steel shelf mount on upright tubes. Max load 60 kg. Can be easily equipped with steel tube dividers for storage of cardboard boxes, envelopes, etc.	1467 x 400 1773 x 400	M1500 M1800	859 013-49 859 018-49
<b>3. Tube divider set (4 pcs)</b>	Carton dividers are fixed on top or lower shelf in 125 mm spacing. One shelf fits two sets.	Ø16 x 336 x 300	Shelf M1500, M1800	859 010-49
<b>4. Roll holder set under worktop</b>	Steel tube (Ø 25 mm) for storage of packing material. Comes with fixing brackets. Max roll length 1200/1500 mm. Max. load 40 kg.	1500 1800		859 044-49P 859 045-49P
<b>5. Aluminium bin rail</b>	Fixed on upright tubes. For auxiliary steel shelf (page 9), stacking and picking bins. Can be tilted. Max load 15 kg.	736 x 55 x 75 889 x 55 x 75 1486 x 55 x 75 1792 x 55 x 75	M750 M900 M1500 M1800	BP750C BP900C BP1500C BP1800C
<b>6. Auxiliary top, fixed brackets</b>	Suitable for printer, boxes, etc. Mount on upright tube. Left and right side version. Max load 40 kg.	400 x 500 400 x 500	Left side Right side	926 41 001P 926 41 002P
<b>7. Printer platform slideable</b>	Printer shelf with sliding platform for easy replacement of the label roll. Mount on upright tube. Max load 30 kg.	315 x 530		859 060-49
<b>8. Rotating tool panel</b>	Fixing frame with double arm. Max load 15 kg.	513 x 320		880 865-49P
<b>9. Perforated panel for rotating tool panel</b>		470 x 300		860 951-49
<b>10. Tool trough M500 for rotating tool panel</b>		470 x 150		860 952-49
<b>11. Bin rail M500 for rotating tool panel</b>	Aluminium bin rail for auxiliary steel shelf (page 9), stacking and picking bins.	486 x 55 x 75		BP500C
<b>12. CPU / printer holder, bar clamp (under worktop)</b>	Brackets for CPU, printer, etc. Fixed on accessory bar of bench. Max load 20 kg.	>150 x 500 x 85		860 551-49
<b>13. PC / folder box</b>	Fitted to upright tube. Max load 5 kg.	130 x 290 x 330		860 983-49
<b>14. Roll holder for upright tube</b>	For a small roll, e.g. plastic bag roll. Max roll Ø150 mm, max length 300 mm.	Ø10 x 300		860 841-49
<b>15. Bottle holder</b>	Steel bottle holder for upright tube.	Ø100 mm		859 063-49
<b>16. Laptop/ printer shelf with arm</b>	Tray with double arm for laptop, printer, etc. Edge height 15 mm. Max load 25 kg.	365 x 365		930 49 001P



# TPB918 and Concept accessories



Name	Description	Size W x D x H mm	Suitability	Code
1. <b>Auxiliary steel shelf</b>	Shelf for A4 paper and tape dispensers (max 2 pcs per shelf). Mounted on bin profile. Max load 3 kg.	217 x 298 x 20	TPB918, Concept	ASSA4
2. <b>Stacking bin set</b>	Four bins made of blue polypropylene (PP).	2 pcs 230 x 155 x 140 2 pcs 185 x 125 x 115	TPB918, Concept	SBS4
3. <b>Tool holder box</b>	With two blue plastic bins type 3020.	400 x 300 x 150	TPB918, Concept	PPH TXL
4. <b>Drawer unit</b>	Mount on benches with bracket (included).	370 x 460 x 140	TPB918, Concept	LMC01
5. <b>Fixed tape dispenser</b>	Feeds tape from a roll; for a tape roll with a 76-mm socket. Includes screws to fix the dispenser to ASSA4. Max roll Ø 120 mm and width 50 mm.		TPB918, Concept	FTD50
6. <b>Basic label dispenser</b>	Feeds labels from a roll, space for several rolls. Fits on ASSA4 or can be placed in a shelf or tray. Can be fixed with screws. Max roll Ø 220 mm and width 210 mm.	214 x 128 x 120	TPB918, Concept	BLD20
7. <b>Paper roll dividers</b>	Keeps the packing material rolls in place. Made from MDF. For axle Ø 25 mm. Includes 2 dividers and 2 spring locks.	Ø 170 mm	TPB918, Concept	RD25
8. <b>Pull-out recycling material bin</b>	Fixed under worktop with steel rails. Bin 60 ltr. Max load 15 kg.	286 x 570 x 650	TPB918, Concept	PRMB3
9. <b>Utility box</b>	Mount on perforated panel. Max load 4 kg.	410 x 155 x 90	TPB918, Concept	854041-49
10. <b>Tray R47</b>	Mount on perforated panel. Max load 4 kg.	350 x 120	TPB918, Concept	831654-49
11. <b>Paper roll holder</b>	Mount on perforated panel. Max roll width 300 mm.		TPB918, Concept	854043-49
12. <b>Outlet panel</b>	5 Schuco wall sockets, switch and 3 m cable.		TPB918, Concept	PRK5
13. <b>HiLite LED</b>	Consumes little energy and consequently has a long service life. Mount on light and balancer rail / tool and lighting support KT.	Width 1230	TPB918, Concept	861 956-00
14. <b>Overlight OL</b>	Aluminium frame with an anti-dazzle screen and dimmer. Angle continuously adjustable. With integrated switch and 3 m cable.	Width 1200	TPB918, Concept	OL254D
15. <b>SatelliTE LED</b>	A side light designed to illuminate areas not reached by general lighting.	Width 340	Concept	861 920-00

# Packing material roll stands

## ① High packing material roll stand

High stand for two rolls. The rolls are adjustable in height. Axle diameter 25 mm. Max roll Ø 800 mm. Can be equipped with extra roll holder set, castor set and cutter PPC. Max load 40 kg per roll.

Size W x D x H mm	Module	Max roll width mm	Code
1380 x 715 x 1500	M1350	1200	890 520-49P
1530 x 715 x 1500	M1500	1400	890 521-49P
1830 x 715 x 1500	M1800	1700	890 522-49P



! Bracket pair for cutter, page 11

## ② Low packing material roll stand

Low stand for one roll. The roll is adjustable in height. Axle diameter 25 mm. Max roll Ø 800 mm. Can be equipped with extra roll holder set, castor set and cutter PPC. Max load 40 kg per roll.

Size W x D x H mm	Module	Max roll width mm	Code
1380 x 715 x 1000	M1350	1200	859 103-49P
1530 x 715 x 1000	M1500	1400	859 105-49P
1830 x 715 x 1000	M1800	1700	859 108-49P



## ③ Castor set for packing material roll stands

4 swivel castors Ø 100 mm, 2 with brakes. Attached directly to the stands.

Size mm	Code
Ø 100	834 734-00



## ④ Extra roll holder set

Extra roll holder set for packing material roll stands. Including brackets. Axle diameter 25 mm, zinc electroplated. Max load 40 kg.

Module	Max roll width mm	Code
M1350	1200	859 040-49P
M1500	1400	859 041-49P
M1800	1700	859 042-49P



# Cutters

## ① Cutter PPC

The round cutting knife will slice through paper and cardboard with ease. Can be affixed to the bench top or alternatively to the upright profiles with fixing brackets PPC FB.

Size W x D x H mm	Module	Cutting width mm	Code
1350 x 130 x 200	M1350	1110	PPC135
1485 x 130 x 200	M1500	1250	PPC150
1785 x 130 x 200	M1800	1550	PPC180



## ② Fixing brackets for cutter

In order to obtain an ergonomic position, the cutters can also be affixed to the upright profiles of all the workbenches using these fixing brackets. The fixing brackets make the cutter both height and tilt adjustable, tilt 30 degrees. Cutter is ordered separately.

Suitability	Code
TPB/Concept upright profiles	PPC FB



## ③ Bracket pair for cutter

Cutter PPC can be fitted to the packing material roll stand with the bracket pair. Height adjustable. Cutter is ordered separately.

Suitability	Code
Packing material roll stands	890 511-49P







# Fully functioning packaging area

Whether you handle, wrap, pack or unpack big or small materials and items, they need to be stored, lifted, or brought via a belt conveyor system to the packing table and removed from the workstation.

To create a fully functioning packaging area, Treston's offering also includes a variety of trolleys, cabinets and shelves which are an integral part of a good packing environment. Treston packaging tables, together with industrial complementing furniture, help you maximize production and speed up the packaging process. Also, don't forget chairs and good lighting – both elements which complete a well-functioning packaging station.

All Treston furniture and both packing table designs take into account ergonomic aspects, enabling you to keep all packaging materials within easy reach. Both TPB918 and Concept are made according to the highest quality standards.

# Trolleys

## ① Low carton trolley LCT610

Trolley for large cartons. Three dividers can be assembled crosswise or lengthwise. The fourth divider is a push handle.

Frame and shelf are of epoxy powder-coated steel in grey RAL 7035. Four swivel castors (Ø 100 mm), two of which have brakes. Shelf height above the ground 160 mm.

Size W x D x H mm	Shelf size W x D mm	Code
1080 x 630 x 1020	1000 x 630	LCT610



## ② High carton trolley HCT410

Trolley for packing cartons. Shelves are equipped with steplessly adjustable steel M-divider hoops. Larger hoop height 540 mm, lowest point 330 mm above the shelf, smaller hoop height 315 mm, lowest point 105 mm above the shelf.

Frame and individually height adjustable shelves are of epoxy powder-coated steel in grey RAL 7035. Four swivel castors (Ø 100 mm), two of which have brakes.

Size W x D x H mm	Shelf size W x D mm	Code
1090 x 530 x 1515	1000 x 430	HCT410



## ③ Carton trolley

Steel trolley for storage of cartons under the bench. Trolley is equipped with four swivel castors (Ø 50 mm), two of which have brakes. Grey epoxy powder coated in RAL7035. Comes with seven steel divider hoops, height 300 mm. Max load 60 kg.

Size W x D x H mm	Shelf size W x D mm	Code
1180 x 600 x 425	1170 x 600	859070-41P



### ③ Recycling material trolley PRMT

The recycling trolleys are ideal for placing underneath or beside the packing bench. The bins are adjustable in angle for ease of use! The trolley comes with four swivel castors, two with brakes. Available in single and double version.

Size W x D x H mm	Code
625 x 350 x 495	PRMT 1
625 x 680 x 495	PRMT 2



### ④ Packing material trolley PMT

The packing material trolley is ideal for storing papers, envelopes and utilities such as tape underneath the workstation or bench. The shelves are adjustable in height and the metal dividers are adjustable in width by allen-key.

Size W x D x H mm	Code
625 x 680 x 640	PMT 606
625 x 1085 x 640	PMT 610



Only a selection of our trolleys is presented in this brochure. Please visit our webpage for the full range.





# Treston packing benches

- ✓ Sturdy and stable
- ✓ Modular, enabling a multitude of configurations economically
- ✓ Generous surface area
- ✓ Widest range of accessories accommodating any combinations

Whether you have a small web shop or represent larger numbers of manufacturing, logistics centre or spare parts store, don't hesitate to contact Treston experts for service and speedy delivery.





# TRESTON



11/2016. Copyright © 2016 Treston Oy. All rights reserved. Specifications are subject to change without prior notice.

Are you looking for an easy packing bench option or a packaging solution which can answer varying needs and is highly adjustable? Treston packing bench options can answer both these needs. **CONTACT US TODAY!**

## HEADQUARTERS

Treston Oy • Sorakatu 1, FI-20730 Turku

Tel. +358 10 4469 11 • [sales@treston.com](mailto:sales@treston.com) • [treston.com](http://treston.com)

## UNITED KINGDOM

Treston Ltd • 5b Bone Lane, Newbury, Berkshire, RG14 5SH

Tel. +44 1635 521521 • [salesuk@treston.com](mailto:salesuk@treston.com) • [treston.com](http://treston.com)